

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-220-52
Relating to Certification of New Motor Vehicles

JAGUAR CARS, LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Jaguar Cars, Ltd. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: XJCXV04.0AS3 Displacement: 4.0 Liters (243 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Sequential Multiport Fuel Injection
Dual Heated Oxygen Sensors
Dual Three Way Catalytic Converters
Supercharger
Charge Air Cooler
Dual Oxygen Sensors
Exhaust Gas Recirculation

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Carbon Monoxide (20°F)</u>
50,000	0.25	3.4	0.4	10.0
100,000	0.31	4.2	0.6	n/a

The certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Carbon Monoxide (20°F)</u>
50,000	0.15	1.8	0.1	8.0
100,000	0.20	2.6	0.2	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer shall not be subject to the fleet average non-methane organic gases exhaust mass emission requirements as set forth in the "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles" pursuant to Section 3.h., note (6) d. of these standards and test procedures (small volume manufacturer whose projected California sales exceeds 3000 vehicles per model year.)

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.2) ("Malfunction and Diagnostic system Requirements--1994 and Subsequent Model-Year Passengers Cars, Light Duty Trucks, and Medium-Duty Vehicles and Engines.")


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 7th day of October 1998.


R. B. Summerfield, Chief
Mobile Source Operations Division



MY 1999

Engine Family XJCXV04.0AS3

17-17

17.00.00.00 cont'd

E.O. # A-220-52 Page 1 of 1

07.01.01 1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

PASSENGER CARS, LIGHT-DUTY TRUCKS & MEDIUM-DUTY VEHICLES

Manufacturer: Jaguar Cars Ltd Exh Eng Fam: XJCXV04.0AS3 Evap Fam: XJCXE0121M2XAll Eng. Codes in Eng. Fam: CA _ 49S _ 50S X AB965 _ ; ORVR: YES _ NO X _Exh Std: CA - Tier-1 X TLEV _ LEV _ ULEV _ SULEV _ ; US EPA - Tier-1 XVeh Class(es): PC X LDT1 _ LDT2 _ MDV1 _ MDV2 _ MDV3 _ MDV4 _ MDV5 _Single Cert Std for Muti-Class Eng Fam: N/AFuel Type(s): Dedicated X Flex-Fuel _ Dual-Fuel _ Bi-Fuel _ Gasoline X Diesel _
CNG _ LNG _ LPG _ M85 _ Other _Emission Test Fuel(s): Indo X CBG _ CNG _ LPG _ M85 _ Other _
Diesel: 13 CRR 2282 _ 40CFR86.113-90 _ 40CFR86.113-94 _Evaporative Emission Test Procedure: California _ Federal XService Accum: Std AMA _ Mod AMA _ Mfr ADP _ Other ADFNMOG Test Procedure: N/A X Std _ Equiv _ ; R/L Test Proc: SHED _ Pt Source XEngine Configuration: V8 Displacement: 4.0 liters 243 cubic inchesValves per Cylinder: 4 Rated HP: 370 @ 6150Engine: Front X Mid _ Rear _ Drive: FWD _ RWD X 4WD-FT _ 4WD-PT _Exhaust ECS: EGR:2HO2S:2TWC:2O2S:SFI:CAC:SC

Engine Code	Vehicle Models	Trans A- Auto M- Man	ETW	DPA	ECM Part No	EGR System Part No	Catalytic Converter Part No.
4.0SFC-98 (50ST)	XJR	A5	4250	8.8	LNC1410AD	LCA1550AE	NNC6700JB NNC6701JB
	Vanden Plas	A5	4500	8.5	LNC1410AD	LCA1550AE	NNC6700JB NNC6701JB